

**SURGICAL SERVICES
INTRAOPERATIVE MEDICATIONS TEST**

Page 1 of 4

NAME: _____

DATE: _____

SCORE: _____

1. **The following statements regarding Forane are true:**
 - A. Forane is not an inhalation agent.
 - B. Forane may produce respiratory irritation.
 - C. Forane provides rapid emergence.
 - D. A and B
 - E. B and C
 - F. All

2. **Ultane is a volatile liquid for inhalation.**
 - A. True
 - B. False

3. **Alfenta when given I.V. has an onset of 1.5 to 2 minutes.**
 - C. True
 - D. False

4. **The following statements regarding Diprivan are true:**
 - A. Contraindicated in patients who are hypersensitive to egg or soy bean oil.
 - B. Propofol can support the growth of microorganisms
 - C. Unused portions of drug may be stored for 24 hours.
 - D. A and B
 - E. B and C
 - F. All

5. **Ultiva achieves analgesia and anesthesia through an unknown mechanism:**
 - A. True
 - B. False

6. **The following statements about Versed are true:**
 - A. Is a potent respiratory depressant.
 - B. Excessive doses may lead to agitation and involuntary movement
 - C. May be reversed with flumazenil
 - D. A and B
 - E. B and C
 - F. All

**SURGICAL SERVICES
INTRAOPERATIVE MEDICATIONS TEST**

7. **The following statements about Narcan are true:**
- A. Narcan has no pharmacologic activity of its own.
 - B. Abrupt reversal of opiate induces lowering of blood pressure.
 - C. Duration of action of naloxone is longer than most narcotics..
 - D. A and B
 - E. B and C
8. **All of the following are true except:**
- A. Anectine may be used to lessen muscle contraction in electrically induced seizures.
 - B. Contraindicated in patients with penetrating eye injuries.
 - C. Anectine is only given by continuous drip infusion.
9. **Robinul is used preoperatively to diminish secretions and block cardiac vagal reflexes.**
- A. True
 - B. False
10. **Reglan ideally should be given IV at time of induction to prevent postoperative nausea and vomiting.**
- A. True
 - B. False
11. **The following statements are true:**
- A. Epinephrine is drug of choice in emergency treatment of acute anaphylactic reactions.
 - B. Epinephrine is used to restore cardiac rhythm in cardiac arrest.
 - C. Epinephrine increases rigidity and tremor in Parkinson's disease.
 - D. A and B
 - E. A and C
 - F. All
12. **Neo-Synephrine stimulates alpha-adrenergic receptors in the sympathetic nervous system and is indicted for treatment of:**
- A. Hypotensive emergencies during spinal anesthesia.
 - B. Prolongation of spinal anesthesia.
 - C. Vasoconstrictor for regional anesthesia
 - D. A and B
 - E. B and C
 - F. All

**SURGICAL SERVICES
INTRAOPERATIVE MEDICATIONS TEST**

13. **The effects of heparin can be neutralized by vitamin K injections :**
A. True
B. False
14. **Avitine is mixed with:**
A. Topical Thrombin
B. NaCl 0.45 %
C. NaCl 0.9%
D. Not mixed
15. **Gelfoam is always removed before closing wound:**
A. True
B. False
16. **The following statement is not true:**
A. Protamine is a heparin antagonist:
B. Protamine may be given I.V. Drip infusion over 20 minutes:
C. There is a risk of hypersensitivity to Protamine in vasectomized or infertile males
17. **To mix insulin shake vigorously for 10 seconds:**
A. True
B. False
18. **The following statements regarding Bupivacaine are true:**
A. Contraindicated in children under 12 years
B. Should not be used for IV regional anesthesia (Bier Block)
C. Use a solution with epinephrine for ears, nose, fingers and toes
D. A and B
E. B and C
F. All
19. **The following drug is not used to constrict the pupil and reduce intraocular pressure:**
A. Pilocarpine HCl
B. Miostat 0.01%
C. Wydase
D. Carbochol

**SURGICAL SERVICES
INTRAOPERATIVE MEDICATIONS TEST**

20. Match the Anti-Infective Brand Name Drug with the Corresponding Generic Name:

Brand Name:	Answer	Generic Name:
1. Aerosporin	_____	A. tobramycin sulfate
2. Ancef/Kefzol	_____	B. ceftriaxone sodium
3. Azactam	_____	C. ampicillin
4. Baciquent/Baci-IM	_____	D. polymyxin B sulfate
5. Cleocin Phosphate	_____	E. neomycin sulfate
6. Garamycin	_____	F. cefazolin sodium
7. Mycifradin	_____	G. aztreonam
8. Nebcin	_____	H. clindamycin phosphate
9. Rocephin	_____	I. gentamycin sulfate
10. Totacillin/Omnipen/Polycillin	_____	J. bacitracin